FOR PULTRUDED SHAPES, RAILING, LADDERS

Section 1 - Product & Company Identification

Product: Dynaform® Structural Shapes: Angle, Channel, Concrete

Embedment Angles, EZ® Angle, I Shapes, Round and Square

Bar, Round and Square Tube, Wide Flange Shapes;

Dynarail®: Handrail, Guardrail, and Ladder Products

Dynaplank™ Boardwalk Plank and Dynadeck® Interlocking

Flooring

Manufacturer: Fibergrate Composite Structures Inc.

5151 Beltline Road, Suite 1212

Dallas, TX 75254 (800) 527-4043

CHEMTREC 1-800-262-8200 (within the U.S.) 24 Hour Emergency Phone Number:

+1 703-741-5500 (Worldwide)

Recommended Use: Structural Component

Section 2- Hazard(s) Identification

Classification: In accordance with 29 C.F.R. § 1910.1200, this product is an "article"

and therefore not subject to the HCS 2012 SDS and labeling

requirements. The information presented is for potential end use

grinding, sanding, cutting, or other mechanical work of this product.

Signal Word: Warning

Pictogram: None

Hazard Statement: May form combustible dust concentrations in air

Hazards Not Otherwise Classified: The grinding, drilling, sanding, cutting, or other mechanical working of

> this product may generate dusts that could act as a mechanical irritant to skin, eyes, and upper respiratory system. Vapors or products of thermal degradation generated by cutting or grinding may aggravate or

cause respiratory conditions.

Section 3 – Composition/Information on Ingredients				
Chemical Component:	CAS Number:	Percent:		
Polymerized Resin	None	30%-75%		
Fiberglass	65997-17-3	25%-70%		
Glass Oxides (Present Within Anti- Slip Gritted Products Only)		1%		

Section 4 – First Aid Measures

Routes of Entry: Inhalation, skin, and ingestion

Signs & Symptoms of Exposure: Temporary irritation and itching to skin or eyes. Scratchiness or burning

of the nose and/or throat if exposed to large amount of airborne dust

from cutting or machining.

Remove person(s) to fresh air if inhalation irritation occurs.

Emergency & First Aid

Procedures:

Wash skin well without rubbing. For eyes, use a sterile solution and

flood the eye area. Change clothing after exposure. Apply antiseptic to

any abraded skin area.

Seek Medical Advice/Attention if needed

Section 5 – Fire Fighting Measures

Extinguishing Media: Water; Foam/Type A, B, or C Extinguishers

Special Firefighting Procedures: Use Self-Contained Breathing Apparatus (SCBA) with full face mask

operated in pressure mode.

Unusual Fire & Explosion Hazards: Burning FRP creates a complex mixture of solid, liquid, particulate, and

gasses. Carbon monoxide and other organic compounds may be given off. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential

dust explosion hazard.

Section 6 – Accidental Release Measures

Personal precautions, protectiveNon-sparking tools should be used. Avoid dispersal of dust in the

equipment, and emergency procedures: air (i.e. clearing dust surfaces with compressed air).

Methods and materials for containment Dust deposits from fabrication should not be allowed to

and cleaning up: accumulate on surfaces, as these may form an explosive mixture if

they are released into the atmosphere in sufficient concentration.

Section 7 – Handling and Storage

Handling: Use personal protection equipment to minimize skin, respiratory and eye exposure

to dust and fumes when cutting or grinding product. Do not rub or scratch skin if dust particles have accumulated on exposed skin. Wash all exposed skin areas thoroughly after cutting or grinding. Launder clothing separately and frequently to

prevent skin exposure.

Fabrication of Product: See Section 8

Storage: No special storage conditions exist.

Section 8 – Exposure Controls/Personal Protection				
Occupational Exposure Limits		Value		
OSHA PEL ACGIH TLV		15mg/m3 (Nuisance Dust) Total 10mg/m3 (Nuisance Dust) Total		
Respiratory Protection:	A NIOSH/MSHA approved dust mist respirator is to be used as necessary for concentrations of dust above PEL.			
Protective Gloves:	Wear cloth gloves when handling product to prevent cuts, scratches, or abrasions.			
Eye Protection:	Wear protective eyewear with side shield or ventilated goggles when cutting or grinding.			
Other Protective Equipment:	Barrier cream and long sleeve shirts with closed collars, long pants or protective clothing may be worn to prevent dust exposure when cutting or grinding product.			
Ventilation:	It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents, an explosion suppression system, or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (<i>i.e.</i> , there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.			

Section 9 - Physical and Chemi- Property:	Measurement:
Appearance:	
Physical State	Solid article
Color	Various Colors
Odor	Low to none
Odor Threshold	N/A
рН	N/A
Melting Point/Freezing Point	N/A
Initial Boiling Point	N/A
Flash Point	N/A
Evaporation Rate	N/A
Flammability	N/A
Upper/Lower Flammability Limits	N/A
Vapor Pressure	N/A
Vapor Density	N/A
Relative Density	1.5 – 2.0
Solubility	Not applicable
Partition Coefficient: n-ocatnol/water	Not applicable

Auto-Ignition Temperature	Not applicable
Decomposition Temperature	Not applicable
Viscosity	Not applicable

Section 10 - Stability and Reactivity Data

Stability: Stable

Conditions to Avoid: Sources of ignition, sparks, or flames, extremely high

temperatures

Incompatibility: Strong oxidizing acid

Hazardous Decomposition or Byproducts: Not applicable

Hazardous Polymerization: Will not occur

Section 11 – Toxicological Information

Routes of Exposure:

Inhalation: No adverse effects expected.Skin: No adverse effects expected.

Eye: Contact may cause mechanical irritation and possible injury. **Ingestion:** No adverse effects expected for normal, incidental ingestion.

Delayed and Immediate Effects: N/A

Acute Toxicity: N/A

Carcinogenicity Status: N/A

Section 12 – Ecological Information

Ecotoxicity:No dataPersistence and Degradability:No dataBioaccumulative Potential:No dataMobility in Soil:No data

Section 13 – Disposal Considerations

Waste Disposal Method: Control and collect any dust generated in sturdy containers to prevent dispersal.

Dispose of in accordance with all federal, state, and local regulations. Generally,

the dust is not considered a hazardous waste.

Section 14 – Transport Information

Shipping Name: Not regulated

Shipping Symbols: N/A

Hazard Class: Not hazardous

ID No: N/A

Packing Group: Not determined Label: Not required

Special Provisions: None

Section 15 – Regulatory Information

Environmental Regulations:

RCRA: Not listed
CERCLA: Not listed
SARA 311/312 Codes: None

SARA 313: None above de minimis quantity

Section 16 – Other Information

Refer to NFPA 654: Standard for the Prevention of Fire and Dust Explosions

from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

HMIS: Health = 0

Fire = 1 Reactivity = 0

Issue Date: 2/15/21 **Revision Date:** 09/25/24

We believe that the above information is valid and reliable. The information, however, is provided without any representation of warranty, expressed or implied, regarding the accuracy of correctness. The conditions of methods of handling, storage, use, cutting, grinding, disposal, or other use of the product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use, cutting, grinding, disposal, or any other use of this product.